

Struttura in metallo verniciato con astine di metallo o diffusori in vetro. Illuminazione a LED.

Painted metal frame with metal beams or glass diffusers. LED lighting.


Lackierte Metallstruktur mit Metallstäben oder Glas-Diffusoren. LED Beleuchtung.

Structure métallique vernie avec tiges métalliques ou diffuseurs en verre. Éclairage LED.

ОКРАШЕННАЯ МЕТАЛЛИЧЕСКАЯ СТРУКТУРА С ТОНКИМИ МЕТАЛЛИЧЕСКИМИ СТЕРЖНЯМИ ИЛИ СТЕКЛЯННЫМИ РАССЕИВАТЕЛЯМИ. СВЕТОДИОДНОЕ ОСВЕЩЕНИЕ.

Finishings

TOTAL WHITE



V95 Bianco opaco
Matt white

MIXED COLOURS



V95 V21 V51 V72

TOTAL BLACK



V90 Nero opaco
Matt Black

MIXED WARM



V35 V70 V84

BRASS



Only for
Nappe N
and C



F01 Foglia Oro
Gold leaf
Only for Nappe XL



G12 Oro spazzolato
Brushed gold
Only for Nappe
canopy N and C




V93 Oro verniciato
Painted gold
Only for metal beams

Family


Suspensions




Suspension XL



Applique



Standard cables




When single suspension (N-XL):
1 single cable* (120 cm / 47.24")
with canopy



When composition (C3-C5-C10):
2 cables* (200 cm / 78.74" each)
with connection spheres

*Cables color: For V95 version the cable color is white. For V90 and mixed colors the cable color is black


NAPPE N0



Ø 7.5 cm / 2.95"
H 34 cm / 13.38"

LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable


NAPPE N1



Ø 15 cm / 5.90"
H 36 cm / 14.17"

LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable

NAPPE N2



Ø 15 cm / 5.90"
H 40 cm / 15.74"

LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable


NAPPE N3



Ø 7.5 cm / 2.95"
H 36 cm / 14.17"

LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable


NAPPE N4



Ø 7.5 cm / 2.95"
H 38 cm / 14.96"

LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable


NAPPE N5



Ø 15 cm / 5.90"
H 40 cm / 15.74"

LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable

NAPPE N6



Ø 15 cm / 5.90"
H 32 cm / 12.59"

LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable


NAPPE N7



Ø 7.5 cm / 2.95"
H 34 cm / 13.38"

LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable


NAPPE N8



Ø 15 cm / 5.90"
H 39 cm / 15.35"

LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable


NAPPE N9



Ø 7.5 cm / 2.95"
H 39 cm / 15.35"


LED x 5,4W CRI>90
3000 K - 688 Nominal lm
Not Dimmable

NAPPE C3




3 x LED 16,2W CRI>90
3000K - 2064 Nominal lm
Dimmable: 1-10V + PUSH

NAPPE C5



5 x LED 27W CRI>90
3000K - 3440 Nominal lm
Dimmable: 1-10V + PUSH

NAPPE C10




10 x LED 54W CRI>90
3000K - 6880 Nominal lm
Dimmable: 1-10V + PUSH + DALI

SUGGESTED COMPOSITIONS


NAPPE C3




LINEAR



OPEN TRIANGLE



CLOSE TRIANGLE




*On request canopy with 2 holes for cables


NAPPE C5




LINEAR



OPEN PENTAGON



CLOSE PENTAGON




*On request canopy with 2 holes for cables


NAPPE C10




LINEAR




DOUBLE LINEAR



CIRCULAR




: for the US market, refer to the relevant price list.

NAPPE C3 LN 75  


L 75 cm / 29.52"
SP 20 cm / 7.87"
H max 155 cm / 61.02"

LED x 16,2W CRI>90
 3000K- 2064 Nominal lm
Dimmable: 1-10V + PUSH

NAPPE C3 LN 125  


L 125 cm / 49.21"
SP 20 cm / 7.87"
H max 155 cm / 61.02"

LED x 16,2W CRI>90
 3000K- 2064 Nominal lm
Dimmable: 1-10V + PUSH

NAPPE C5 LN 175  


L 175 cm / 68.89"
SP 20 cm / 7.87"
H max 155 cm / 61.02"

LED x 27W CRI>90
 3000K- 3440 Nominal lm
Dimmable: 1-10V + PUSH

NAPPE C3 RD 40  


Ø 40 cm / 15.74"
H max 155 cm / 61.02"

LED x 16,2W CRI>90
 3000K- 2064 Nominal lm
Dimmable: 1-10V + PUSH

NAPPE C3 RD 60  

Ø 60 cm / 23.62"
H max 155 cm / 61.02"


LED x 16,2W CRI>90
 3000K- 2064 Nominal lm
Dimmable: 1-10V + PUSH

NAPPE C5 RD 80  

Ø 80 cm / 31.49"
H max 155 cm / 61.02"

LED x 27W CRI>90
 3000K- 3440 Nominal lm
Dimmable: 1-10V + PUSH

NAPPE XL1



NAPPE XL2



NAPPE XL3



Ø 30 cm / 11.81"
H 125 cm / 49.21"



UP 1 x LED 12W CRI>90
 3000K - 1830 Nominal lm
DOWN 1 x LED 7W CRI>90
 3000K - 1250 Nominal lm
Dimmable: 1-10V + PUSH + DALI

Ø 35 cm / 13.77"
H 135 cm / 53.14"

UP 1 x LED 12W CRI>90
 3000K - 1830 Nominal lm
DOWN 1 x LED 7W CRI>90
 3000K - 1250 Nominal lm
Dimmable: 1-10V + PUSH + DALI

Ø 30 cm / 11.81"
H 110 cm / 43.30"

1 x LED 12W CRI>90
 3000K - 1830 Nominal lm
Dimmable: 1-10V + PUSH + DALI

NAPPE APP N2**NAPPE APP N4**

L 15 cm / 5.90"
 SP 18 cm / 7.08"
 H 42 cm / 16.53"

L 7.5 cm / 2.95"
 SP 14 cm / 5.51"
 H 40 cm / 15.74"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Not Dimmable

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Not Dimmable

Struttura in metallo verniciato con astine di metallo o diffusori in vetro. Illuminazione a LED.

Painted metal frame with metal beams or glass diffusers. LED lighting.


Lackierte Metallstruktur mit Metallstäben oder Glas-Diffusoren. LED Beleuchtung.

Structure métallique vernie avec tiges métalliques ou diffuseurs en verre. Éclairage LED.

ОКРАШЕННАЯ МЕТАЛЛИЧЕСКАЯ СТРУКТУРА С ТОНКИМИ МЕТАЛЛИЧЕСКИМИ СТЕРЖНЯМИ ИЛИ СТЕКЛЯННЫМИ РАССЕИВАТЕЛЯМИ. СВЕТОДИОДНОЕ ОСВЕЩЕНИЕ.

Finishings

TOTAL WHITE



V95 Bianco opaco
Matt white

MIXED COLOURS




V95 V21 V51 V72

TOTAL BLACK




V90 Nero opaco
Matt Black

MIXED WARM



V35 V70 V84

BRASS



Only for
Nappe N
and C



F01 Foglia Oro
Gold leaf
Only for Nappe XL



G12 Oro spazzolato
Brushed gold
Only for Nappe
canopy N and C




V93 Oro verniciato
Painted gold
Only for metal beams

Family


Suspensions




Suspension XL



Applique



Standard cables





When single suspension (N-XL):
1 single cable* (120 cm / 47.24")
with canopy



When composition (C3-C5-C10):
2 cables* (200 cm / 78.74" each)
with connection spheres

*Cables color: For V95 version the cable color is white. For V90 and mixed colors the cable color is black


NAPPE N0 Suspension 




TECHNICAL INFORMATION

Ø 7.5 cm / 2.95"
 H 34 cm / 13.38"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V


NAPPE N1 Suspension 




TECHNICAL INFORMATION

Ø 15 cm / 5.90"
 H 36 cm / 14.17"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V


NAPPE N2 Suspension 




TECHNICAL INFORMATION

Ø 15 cm / 5.90"
 H 40 cm / 15.74"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V


NAPPE N3 Suspension 




TECHNICAL INFORMATION

Ø 7.5cm / 2.95"
 H 36 cm / 14.17"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V


NAPPE N4 Suspension 




TECHNICAL INFORMATION

Ø 7.5 cm / 2.95"
 H 38 cm / 14.96"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V


NAPPE N5 Suspension 




TECHNICAL INFORMATION

Ø 15 cm / 5.90"
 H 40 cm / 15.74"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V


NAPPE N6 Suspension 




TECHNICAL INFORMATION

Ø 15 cm / 5.90"
 H 32 cm / 12.59"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V


NAPPE N7 Suspension 




TECHNICAL INFORMATION

Ø 7.5 cm / 2.95"
 H 34 cm / 13.38"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V


NAPPE N8 Suspension 




TECHNICAL INFORMATION

Ø 15 cm / 5.90"
 H 39 cm / 15.35"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V

NAPPE N9 Suspension 




TECHNICAL INFORMATION

Ø 7.5 cm / 2.95"
 H 39 cm / 15.35"


LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V

NAPPE C3




3 x LED 16.2 W CRI>90
3000K - 2064 Nominal lm
Dimmable: 0-10V

NAPPE C5



5 x LED 27 W CRI>90
3000K - 3440 Nominal lm
Dimmable: 0-10V

NAPPE C10




10 x LED 54 W CRI>90
3000K - 6880 Nominal lm
Dimmable: 0-10V

SUGGESTED COMPOSITIONS


NAPPE C3




LINEAR



OPEN TRIANGLE



CLOSE TRIANGLE




*On request canopy with 2 holes for cables


NAPPE C5




LINEAR



OPEN PENTAGON



CLOSE PENTAGON




*On request canopy with 2 holes for cables


NAPPE C10




LINEAR




DOUBLE LINEAR



CIRCULAR



NAPPE C3 LN 75



TECHNICAL INFORMATION


L 75 cm / 29.52"
SP 20 cm / 7.87"

H max 155 cm / 61.02"

LED x 16,2W CRI>90 - 3000K-
 2064 Nominal lm

Dimmable: 0-10V

NAPPE C3 LN 125



TECHNICAL INFORMATION


L 125 cm / 49.21"
SP 20 cm / 7.87"

H max 155 cm / 61.02"

LED x 16,2W CRI>90 - 3000K-
 2064 Nominal lm

Dimmable: 0-10V

NAPPE C5 LN 175



TECHNICAL INFORMATION

L 175 cm / 68.89"


SP 20 cm / 7.87"

H max 155 cm / 61.02"

LED x 27W CRI>90 - 3000K- 3440
 Nominal lm

Dimmable: 0-10V

NAPPE C3 RD 40



TECHNICAL INFORMATION


Ø 40 cm / 15.74"

H max 155 cm / 61.02"

LED x 16,2W CRI>90 - 3000K-
 2064 Nominal lm

Dimmable: 0-10V

NAPPE C3 RD 60



TECHNICAL INFORMATION


Ø 60 cm / 23.62"

H max 155 cm / 61.02"

LED x 16,2W CRI>90 - 3000K-
 2064 Nominal lm

Dimmable: 0-10V

NAPPE C5 RD 80



TECHNICAL INFORMATION


Ø 80 cm / 31.49"

H max 155 cm / 61.02"

LED x 27W CRI>90 - 3000K- 3440
 Nominal lm

Dimmable: 0-10V

NAPPE XL1

Suspension XL 

TECHNICAL INFORMATION

Ø 30 cm / 11.81"
H 125 cm / 49.21"

UP 1 x LED 7 W CRI>90
 3000K 1200 Nominal lm
DOWN 1 x LED 8.5 W CRI>90
 3000K 1320 Nominal lm
Dimmable: 0-10V

NAPPE XL2

Suspension XL 

TECHNICAL INFORMATION

Ø 35 cm / 13.77"
H 135 cm / 53.14"

UP 1 x LED 7 W CRI>90
 3000K 1200 Nominal lm
DOWN 1 x LED 8.5 W CRI>90
 3000K 1320 Nominal lm
Dimmable: 0-10V

NAPPE XL3

Suspension XL 


TECHNICAL INFORMATION

Ø 30 cm / 11.81"
H 110 cm / 43.30"

 1 x LED 12W CRI>90
 3000K - 1730 Nominal lm
Dimmable: 0-10V

NAPPE APP N2

Applique




TECHNICAL INFORMATION

L 15 cm / 5.90"
SP 18 cm / 7.08"
H 42 cm / 16.53"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V

NAPPE APP N4

Applique



TECHNICAL INFORMATION

L 7.5 cm / 2.95"
SP 14 cm / 5.51"
H 40 cm / 15.74"

LED x 5,4W CRI>90
 3000 K - 688 Nominal lm
 Dimmable: 0-10V