


Libe

SUSPENSION
APPLIQUE



Galvanised metal frame with a
matt crystal lozenge diffuser.
LED lighting.


FINISHINGS

STANDARD




G14 Burnished brass


STANDARD CABLES




LIBE S160 

W	160 cm / 63.00"
D	16 cm / 6.30"
H	30 cm / 11.80"
STANDARD INTEGRATED LED LIGHTING	
104 W CRI>90 3000 K – 9770 NOMINAL LM	
ON REQUEST	
104 W CRI>90 2700 K – 9280 NOMINAL LM	
DIMMABLE	
1-10V	




LIBE S100 

W	100 cm / 39.40"
D	16 cm / 6.30"
H	20 cm / 7.90"
STANDARD INTEGRATED LED LIGHTING	
63 W CRI>90 3000 K – 5922 NOMINAL LM	
ON REQUEST	
63 W CRI>90 2700 K – 5620 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE ROUND S140 


ø	140 cm / 55.10"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
144 W CRI>90 3000 K – 13536 NOMINAL LM	
ON REQUEST	
144 W CRI>90 2700 K – 12850 NOMINAL LM	
DIMMABLE	
1-10V	




LIBE ROUND S115 

ø	115 cm / 45.30"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
116 W CRI>90 3000 K – 10904 NOMINAL LM	
ON REQUEST	
116 W CRI>90 2700 K – 10350 NOMINAL LM	
DIMMABLE	
1-10V	




LIBE ROUND S90 


ø	90 cm / 35.40"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
90 W CRI>90 3000 K – 8460 NOMINAL LM	
ON REQUEST	
90 W CRI>90 2700 K – 8030 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE ROUND S60 


ø	60 cm / 23.60"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
59 W CRI>90 3000 K – 5546 NOMINAL LM	
ON REQUEST	
59 W CRI>90 2700 K – 5264 NOMINAL LM	
DIMMABLE	
0-10V	




LIBE ELLIPSE S120 

W	120 cm / 47.20"
D	40 cm / 15.70"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
86,5 W CRI>90 3000 K – 8131 NOMINAL LM	
ON REQUEST	
86,5 W CRI>90 2700 K – 7720 NOMINAL LM	
DIMMABLE	
0-10V	



LIBE ELLIPSE S90 

W	90 cm / 35.40"
D	30 cm / 11.80"
H	8,5 cm / 3.30"
STANDARD INTEGRATED LED LIGHTING	
62,5 W CRI>90 3000 K – 5875 NOMINAL LM	
ON REQUEST	
62,5 W CRI>90 2700 K – 5580 NOMINAL LM	
DIMMABLE	
0-10V	



LIBE A55



W 59 cm / 23.20"
D 12 cm / 4.70"
H 14 cm / 5.50"

STANDARD INTEGRATED LED LIGHTING


7 W CRI>90
3000 K – 658 NOMINAL LM

ON REQUEST



7 W CRI>90
2700 K – 625 NOMINAL LM

DIMMABLE

NO





SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 27,5 cm / 10.80"	● G14	LIBE ROUND S140
H 9 cm / 3.50"		LIBE ROUND S115
		LIBE ROUND S90
		LIBE ROUND S60

SINGLE CANOPY



SIZE	FINISHINGS	PRODUCT NAME
Ø 27,5 cm / 10.80"	● G14	LIBE S100
H 9 cm / 3.50"		LIBE S160
		LIBE ELLIPSE S90
		LIBE ELLIPSE S120